

<b>Q : EXTERNAL WORKS</b>			<b>Mat.</b>	<b>Lab.</b>	<b>Plant</b>	<b>Total</b>
			<b>£</b>	<b>£</b>	<b>£</b>	<b>£</b>
<b>Q4010</b>	<b>Chain link of galvanized 3.55 x 50 mm square mesh and three galvanized line wires fixed to 60.3mm galvanised tubular posts, set in concrete mix C15 at 3000 mm centres</b>					
050	Fencing 900 mm high, post height 950 mm depth 600 mm	m	14.76	14.89		29.65
060	Extra over for end posts 1550 mm long, strut, setting post 600 mm below ground	nr	31.34	21.27		52.61
065	Extra over for angle posts 1550 mm long, two struts, setting post 600 mm below ground	nr	45.74	28.37		74.11
230	Fencing 1200 mm high, post height 1250 mm depth 600 mm	m	26.29	15.60		41.89
240	Extra over for end posts 1850 mm long, strut, setting post 600 mm below ground	nr	36.10	22.69		58.79
245	Extra over for angle posts 1850 mm long, two struts, setting post 600 mm below ground	nr	53.37	30.49		83.86
350	Fencing 1400 mm high, post height 1450 mm, depth 600 mm	m	18.94	16.31		35.25
360	Extra over for end posts 2050 mm long, strut, setting post 600 mm below ground	nr	38.73	32.62		71.35
365	Extra over for angle posts 2050 mm long, two struts, setting post 600 mm below ground	nr	57.36	42.55		99.91
500	Fencing 1800 mm high, post height 1850 mm depth 600 mm	m	22.53	18.44		40.97
510	Extra over for end posts 2600 mm long, strut, setting post 760 mm below ground	nr	50.18	36.88		87.06
515	Extra over for angle posts 2600 mm long, two struts, setting post 760 mm below ground	nr	71.97	51.06		123.03
550	Fencing 2400 mm high, post height 2450 mm depth 760 mm	m	37.61	21.27		58.88
555	Extra over for end posts 3200 mm long, strut, setting post 760 mm below ground	nr	59.55	39.00		98.55
560	Extra over for angle posts 3200 mm long, two struts, setting post 760 mm below ground	nr	85.88	53.19		139.07
600	Fencing 3050 mm high, post height 3100 mm depth 760 mm	m	38.88	24.82		63.70
610	Extra over for end posts 3860 mm long, strut, setting post 760 mm below ground	nr	78.86	39.00		117.86
615	Extra over for angle posts 3860 mm long, two struts, setting post 760 mm below ground	nr	109.93	56.73		166.66
<b>Q4013</b>	<b>Chain link of plastic coated 3.55 x 50 mm square mesh and three plastic coated line wires fixed to 60.3mm galvanised tubular posts, set in concrete mix C15 at 3000 mm centres</b>					
050	Fencing 900 mm high, post height 950 mm depth 600 mm	m	12.23	15.14		27.37
230	Fencing 1200 mm high, post height 1250 mm depth 600 mm	m	14.05	15.60		29.65
350	Fencing 1400 mm high, post height 1450 mm, depth 600 mm	m	15.13	16.31		31.44
© NSR 01 Aug 2009 - 31 Jul 2010						Q12

Q : EXTERNAL WORKS			Mat.	Lab.	Plant	Total
			£	£	£	£
<b>Q4013</b>						
500	Fencing 1800 mm high, post height 1850 mm depth 600 mm	m	18.03	18.69		36.72
<b>Q4014</b>	<b>Chain link of plastic coated 3.55 x 50 mm square mesh and three plastic coated line wires fixed to 60.3mm PPC tubular posts,set in concrete mix C15 at 3000 mm centres</b>					
050	Fencing 900 mm high, post height 950 mm depth 600 mm	m	13.39	15.14		28.53
230	Fencing 1200 mm high, post height 1250 mm depth 600 mm	m	15.42	15.60		31.02
350	Fencing 1400 mm high, post height 1450 mm, depth 600 mm	m	16.74	16.31		33.05
500	Fencing 1800 mm high, post height 1850 mm depth 600 mm	m	19.80	18.69		38.49
<b>Q4016</b>	<b>Chain link of galvanized 3.55 x 50 mm square mesh and three galvanized line wires fixed with galvanized eyebolts to 100 x 100 mm precast reinforced concrete posts set in concrete mix C15 at 2750 mm centres</b>					
110	Fencing 900 mm high, post height 975 mm depth 600 mm	m	32.90	18.44		51.34
115	Extra over for end posts 1575 mm long, strut 1575 mm long, setting post 600 mm below ground, setting strut 450 mm below ground	nr	65.59	27.66		93.25
120	Extra over for angle posts 1575 mm long, two struts 1575 mm long, setting post 600 mm below ground, setting struts 450 mm below ground	nr	88.42	39.00		127.42
290	Fencing 1200 mm high, post height 1275 mm depth 600 mm	m	33.47	19.15		52.62
295	Extra over for end posts 1875 mm long, strut 1875 mm long, setting post 600 mm below ground, setting strut 450 mm below ground	nr	58.71	34.04		92.75
300	Extra over for angle posts 1875 mm long, two struts 1875 mm long, setting post 600 mm below ground, setting struts 450 mm below ground	nr	71.54	43.26		114.80
410	Fencing 1400 mm high, post height 1475 mm depth 600 mm	m	35.19	19.61		54.80
415	Extra over for end posts 2075 mm long, strut 2075 mm long, setting post 600 mm below ground, setting strut 450 mm below ground	nr	60.46	38.29		98.75
420	Extra over for angle iron posts 2075 mm long, two struts 2075 mm long, setting post 600 mm below ground, setting struts 450 mm below ground	nr	83.29	48.93		132.22
560	Fencing 1800 mm high, post height 1875 mm depth 600 mm	m	57.32	21.98		79.30
565	Extra over for end posts 2475 mm long, strut 2475 mm long, setting post 600 mm below ground, setting strut 450 mm below ground	nr	61.28	40.42		101.70
570	Extra over for angle posts 2475 mm long, two struts 2475 mm long, setting post 600 mm below ground, setting struts 450 mm below ground	nr	84.11	51.77		135.88
© NSR 01 Aug 2009 - 31 Jul 2010						Q13

<b>Q : EXTERNAL WORKS</b>			<b>Mat.</b>	<b>Lab.</b>	<b>Plant</b>	<b>Total</b>
			<b>£</b>	<b>£</b>	<b>£</b>	<b>£</b>
<b>Q4019</b>	<b>Chain link of plastic coated 3.55 x 50 mm square mesh and three plastic coated line wires fixed with galvanized eyebolts to 100 x 100 precast reinforced concrete posts set in concrete mix C15 at 2750 mm centres</b>					
110	Fencing 900 mm high, post height 975 mm depth 600 mm	m	30.37	18.44		48.81
290	Fencing 1200 mm high, post height 1275 mm depth 600 mm	m	30.15	19.15		49.30
380	Fencing 1400 mm high, post height 1475 mm depth 600 mm	m	31.37	19.61		50.98
530	Fencing 1800 mm high, post height 1875 mm depth 600 mm	m	33.41	21.98		55.39
<b>Q4020</b>	<b>Welded mesh of galvanized 3.0 x 50 mm square mesh and one galvanized line wire fixed to 60.3mm galvanised tubular posts, set in concrete mix C15 at 3000 mm centres</b>					
050	Fencing 900 mm high, post height 950 mm depth 600 mm	m	13.35	14.89		28.24
060	Extra over for end posts 1550 mm long, strut, setting post 600 mm below ground	nr	31.34	21.27		52.61
065	Extra over for angle posts 1550 mm long, two struts, setting post 600 mm below ground	nr	45.74	28.37		74.11
230	Fencing 1200 mm high, post height 1250 mm depth 600 mm	m	15.59	15.60		31.19
240	Extra over for end posts 1850 mm long, strut, setting post 600 mm below ground	nr	36.10	22.69		58.79
245	Extra over for angle posts 1850 mm long, two struts, setting post 600 mm below ground	nr	53.37	30.49		83.86
500	Fencing 1800 mm high, post height 1850 mm depth 600 mm	m	19.33	18.44		37.77
510	Extra over for end posts 2600 mm long, strut, setting post 760 mm below ground	nr	50.18	36.88		87.06
515	Extra over for angle posts 2600 mm long, two struts, setting post 760 mm below ground	nr	71.97	51.06		123.03
550	Fencing 2400 mm high, post height 2450 mm depth 760 mm	m	24.30	21.27		45.57
555	Extra over for end posts 3200 mm long, strut, setting post 760 mm below ground	nr	59.55	39.00		98.55
560	Extra over for angle posts 3200 mm long, two struts, setting post 760 mm below ground	nr	85.88	53.19		139.07
<b>Q4022</b>	<b>Welded mesh of plastic coated 3/3.5 x 50 mm square mesh and plastic coated line wire fixed to 60.3mm galvanised tubular posts, set in concrete mix C15 at 3000 mm centres</b>					
050	Fencing 900 mm high, post height 950 mm depth 600 mm	m	14.80	15.14		29.94
230	Fencing 1200 mm high, post height 1250 mm depth 600 mm	m	17.42	15.60		33.02
350	Fencing 1400 mm high, post height 1450 mm, depth 600 mm	m	21.63	16.31		37.94
500	Fencing 1800 mm high, post height 1850 mm depth 600 mm	m	22.95	18.69		41.64